

No. 461







Description

The Whiplash Tiered Pendant is a balanced fixture comprised of asymmetrical curves. The fixture has four glass Whiplash shades, each shade is hand blown and illuminated by a dimmable LED. The fixture can rotate 245° from the canopy.

Materials

Shade: Glass Ceiling mount: Powder coated aluminum and steel. Frame: Plated brass Drop: Plated brass Hardware: Plated and polished brass

Shade Color

White Ombre
Black Ombre

Ceiling Mount Color

Black Satin
 White Satin

Custom colors available.

Finish

Brushed BrassOil Rubbed Bronze

Custom finishes available.

Lamping

LED: Warm white 2700K Lumens: 2800 (equivalent to four 60W incandescent bulb) CRI: 90+ 70,000 LED life hours (approx.)

Power Supply

40W 24V For 120V areas: dimmable Class 2 included in canopy. For 220-240V areas: dimmable Class 2 included in canopy.

Dimmer Compatibility

For 120V areas: 0-10V, TRIAC & ELV dimmable For 220-240V areas: 0-10V dimmable

Voltage / Wattage 24V / 28W

24 V / 20 V

Weight

20 lbs (9 kg)

Remarks

Each fixture is handmade and therefore may vary up to 2" in overall height due to the counterbalancing nature.

Remarks Continued

Specify drop length. Arm and frame lengths are fixed. Fixed drop not adjustable on site. Shade does not rotate. Specify shade orientation. Not for use on sloped ceilings. Black exterior electrical cord is standard. Hardware finish consistent with frame finish. Specify ceiling mount color. Additional weight support recommended for junction box installation. Indoor use and dry locations only. Five tier maximum.

Dimensions

Fixture diameter: 35.5" (90 cm)
Fixture height: 48" (122 cm)
Canopy mount: 9" Ø x 3.5" H
(23 Ø x 9 cm H)
Minimum overall height: 58.5" (149 cm)
Shade: 7" Ø x 6" H
(18 Ø x 15 cm H)






1818 Atlantic Ave. Brooklyn, NY 11233 212 966 3433

sales@DavidWeeksStudio.com www.DavidWeeksStudio.com



No 461



Description

The Whiplash Tiered Pendant is a balanced fixture comprised of asymmetrical curves. The fixture has six glass Whiplash shades, each shade is hand blown and illuminated by a dimmable LED. The fixture can rotate 245° from the canopy.

Materials

Shade: Glass Ceiling mount: Powder coated aluminum and steel. Frame: Plated brass Drop: Plated brass Hardware: Plated and polished brass

Shade Color

White Ombre
Black Ombre

Ceiling Mount Color

Black SatinWhite Satin

Custom colors available.

Finish

Brushed BrassOil Rubbed Bronze

Custom finishes available.

Lamping

LED: Warm white 2700K Lumens: 4200 (equivalent to six 60W incandescent bulb) CRI: 90+ 70,000 LED life hours (approx.)

Power Supply

40W 24V For 120V areas: dimmable Class 2 included in canopy. For 220-240V dimmable Class 2 included in canopy.

Dimmer Compatibility

For 120V areas: 0-10V, TRIAC & ELV dimmable For 220-240V areas: 0-10V dimmable

Voltage / Wattage

24V / 39W

Weight

30 lbs (13.5 kg)

Remarks

Each fixture is handmade and therefore may vary up to 2" in overall height due to the counterbalancing nature. Specify drop length. Arm and frame lengths are fixed. Fixed drop not adjustable on site. Shade does not rotate.

Remarks Continued

Specify shade orientation.
Not for use on sloped ceilings.
Black exterior electrical cord
is standard.
Hardware finish consistent
with frame finish.
Specify ceiling mount color.
Additional weight support
recommended for junction
box installation.
Indoor use and dry locations only.
Five tier maximum.

Dimensions

Fixture diameter: 44" (112 cm) Fixture height: 58.5" (149 cm) Canopy mount: 9" \varnothing x 3.5" H (23 \varnothing x 9 cm H) Minimum overall height: 69" (175 cm) Small Shade: 7" \varnothing x 6" H (18 \varnothing x 15 cm H) Large Shade: 8" \varnothing x 7" H (20 \varnothing x 18 cm H)




STUDIO


1818 Atlantic Ave. Brooklyn, NY 11233 212 966 3433


sales@DavidWeeksStudio.com www.DavidWeeksStudio.com



No 461







Description

The Whiplash Tiered Pendant is a balanced fixture comprised of asymmetrical curves. The fixture has ten glass Whiplash shades, each shade is hand blown and illuminated by a dimmable LED. The fixture can rotate 245° from the canopy.

Materials

Shade: Glass Ceiling mount: Powder coated aluminum and steel. Frame: Plated brass Drop: Plated brass Hardware: Plated and polished brass

Shade Color

White Ombre
Black Ombre

Ceiling Mount Color

Black Satin
White Satin

Custom colors available.

Finish

Brushed BrassOil Rubbed Bronze

Custom finishes available.

Lamping

LED: Warm white 2700K Lumens: 7000 (equivalent to ten 60W incandescent bulb) CRI: 90+ 70,000 LED life hours (approx.)

Power Supply

80W 24V For 120V areas: dimmable Class 2 included in canopy. For 220-240V areas: dimmable Class 2 included in canopy.

Dimmer Compatibility

For 120V areas: 0-10V, TRIAC & ELV dimmable For 220-240V areas: 0-10V dimmable

Voltage / Wattage 24V / 67W

Weight

50 lbs (22.5 kg)

Remarks
Each fixture is handmade and therefore may vary up to 2" in overall height due to the counterbalancing nature.
Specify drop length.
Arm and frame lengths are fixed.
Fixed drop not adjustable on site.
Shade does not rotate.

Remarks Continued

Specify shade orientation.

Not for use on sloped ceilings.
Black exterior electrical cord is standard.

Hardware finish consistent with frame finish.

Specify ceiling mount color.

Additional weight support recommended for junction box installation.

Indoor use and dry locations only.

Five tier maximum.

Dimensions

Fixture diameter: 44" (112 cm)
Fixture height: 80" (203 cm)
Canopy mount: 9" Ø x 3.5" H
(23 Ø x 9 cm H)
Minimum overall height: 90" (229 cm)
Small Shade: 7" Ø x 6" H
(18 Ø x 15 cm H)
Large Shade: 8" Ø x 7" H
(20 Ø x 18 cm H)





1818 Atlantic Ave. Brooklyn, NY 11233 212 966 3433

sales@DavidWeeksStudio.com www.DavidWeeksStudio.com

